

## MEMORIE LT E TESI LS

LA BIBLIOGRAFIA VA PREPARATA SECONDO LO STILE DELLA RIVISTA Cell  
RIPORTATO DI SEGUITO:

- Anderson, E. (1969). *Plants, man and life* (Berkeley: University of California Press).
- Ashikari, M., Sakakibara, H., Lin, S., Yamamoto, T., Takashi, T., Nishimura, A., Angeles, E.R., Qian, Q., Kitano, H., and Matsuoka, M. (2005). Cytokinin oxidase regulates rice grain production. *Science* 309, 741–745.
- Blake, M. (2006). Dating the initial spread of *Zea mays*, In *Histories of Maize*, J. Staller, R. Tykot, and B. F. Benz, eds. (New York: Elsevier).
- Benz, B.F. (2001). Archaeological evidence of teosinte domestication from Guila Naquitz, Oaxaca. *Proc. Natl. Acad. Sci. USA* 98, 2104–2106.
- Cong, B., Liu, J., and Tanksley, S.D. (2002). Natural alleles at a tomato fruit size quantitative trait locus differ by heterochronic regulatory mutations. *Proc. Natl. Acad. Sci. USA* 99, 13606–13611.
- Cubas, P., Lauter, N., Doebley, J., and Coen, E. (1999). The TCP domain: a motif found in proteins regulating plant growth and development. *Plant J.* 18, 215–222.
- Doebley, J. (1989). Isozymic evidence and the evolution of crop plants, In *Isozymes in Plant Biology*, D. Soltis, and P. Soltis, eds. (Portland, Oregon: Dioscorides Press), pp. 165-191.
- Doebley, J. (2004). The genetics of maize evolution. *Annu. Rev. Genet.* 38, 37–59.
- Doebley, J., and Lukens, L. (1998). Transcriptional regulators and the evolution of plant form. *Plant Cell* 10, 1075–1082.
- Doebley, J., Stec, A., and Hubbard, L. (1997). The evolution of apical dominance in maize. *Nature* 386, 485–488.
- Dorweiler, J., and Doebley, J. (1997). Developmental analysis of *teosinte glume architecture1*: a key locus in the evolution of maize (Poaceae). *Am. J. Bot.* 87, 1313–1322.
- Eyre-Walker, A., Gaut, R.L., Hilton, H., Feldman, D.L., and Gaut, B.S. (1998). Investigation of the bottleneck leading to the domestication of maize. *Proc. Natl. Acad. Sci. USA* 95, 4441–4446.
- Frary, A., Nesbitt, T.C., Grandillo, S., Knaap, E., Cong, B., Liu, J., Meller, J., Elber, R., Alpert, K.B., and Tanksley, S.D. (2000). *fw2.2*: a quantitative trait locus key to the evolution of tomato fruit size. *Science* 289, 85–88.
- Kandel, E.R. (1976). *Cellular Basis of Behavior* (San Francisco: W.H. Freeman and Company).
- Kandel, E.R. (1979). *Behavioral Biology of Aplysia* (San Francisco: W.H. Freeman and Company).
- Kandel, E.R. (2001). The molecular biology of memory storage: a dialogue between genes and synapses. *Science* 294, 1030–1038.
- Kandel, E.R., and Tauc, L. (1966). Anomalous rectification in the metacerebral giant cells and its consequences for synaptic transmission. *J. Physiol.* 183, 287–304.
- Nielsen, C. (2001). *Animal Evolution: Interrelationships of the Living Phyla*. 2nd edn. (Oxford: Oxford Univ. Press).
- Nielsen, C. (2005). Larval and adult brains. *Evol. Dev.* 7, 483–489.
- Palaisa, K., Morgante, M., Tingey, S., and Rafalski, A. (2004). Longrange patterns of diversity and linkage disequilibrium surrounding the maize *Y1* gene are indicative of an asymmetric selective sweep. *Proc. Natl. Acad. Sci. USA* 101, 9885–9890.

- Palaisa, K.A., Morgante, M., Williams, M., and Rafalski, A. (2003). Contrasting effects of selection on sequence diversity and linkage disequilibrium at two phytoene synthase loci. *Plant Cell* 15, 1795–1806.
- Piperno, D.R., and Pearsall, D. (1998). *The origins of agriculture in the lowland Neotropics* (New York: Academic Press).
- Piperno, D.R., and Flannery, K.V. (2001). The earliest archaeological maize (*Zea mays* L.) from highland Mexico: new accelerator mass spectrometry dates and their implications. *Proc. Natl. Acad. Sci. USA* 98, 2101–2103.
- Pojeta, J., Runnegar, B., Peel, J.S., and Gordon, M.J. (1987). Phylum Mollusca. In *Fossil Invertebrates*, R.S. Boardman, A.H. Chetham, and A.J. Rowell, eds. (Cambridge, MA: Blackwell Science), pp. 270–435.